Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1791	dielectric with porosity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON :	2005/01/25 14:38
S2	456	(dielectric with porosity) with increas\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 11:29
S3	113	(dielectric with porosity) with (heat\$3 anneal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 11:30
S4	14	((dielectric with porosity) with increas\$3) with (heat\$3 anneal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 13:25
S5	. 0	"KQ CL-90-7858"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:15
S6	2	"qg150"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 13:26
S7	3	"CL-90-7858"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON L:	2005/01/24 10:17
S8	85860	first with dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:18
S9	79438	second with dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON :	2005/01/24 10:19

S10	432762	(impedan\$2 resistan\$2) with (measur\$3 check\$3 solv\$3 compar\$3 solut\$3 equat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:23
S11	262	S8 same S9 same S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/01/24 10:25
S12	169	S11 and (microwave circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:44
S13	3	("20040257194" "20040256350" "20040258841") pn.	US-PGPUB	OR	ON	2005/01/24 10:44
S14	85964	first with dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:18
S15	79527	second with dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:18
S16	433011	(impedan\$2 resistan\$2) with (measur\$3 check\$3 solv\$3 compar\$3 solut\$3 equat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:18
S17	263	S14 same S15 same S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ΘN	2005/01/24 13:18
S18	169	S17 and (microwave circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:18
S19	1715	impedance with thickness with (dielectric insulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON E	2005/01/25 14:39

S21	161677	"438"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:39
S22			USPAT; EPO; JPO; DERWENT; IBM_TDB			2005/01/25 14:39

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	42	438/for.102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 07:45
L2	203	257/E21.531.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 07:45
<u>1</u> 3	181	257/E21.531.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/28 07:45